



Amyuni Document Converter

Version 3.0 Professional

For Windows 98, Me, NT4, 2000, XP/2003 32-bits, XP/2003 64-bits, Vista

User's Manual

Updated June 2007

Amyuni Consultants – Amyuni Technologies

www.amyuni.com

Contents

Legal Information	3
Acknowledgments	3
Main Product Features	4
New In Version 3.0	4
Installation	5
Automatic Installation Procedure	5
Uninstalling the Amyuni PDF Converter	7
Usage	8
Document Properties	9
Configuration	10
About	11
Paper Settings	12
PDF Options	14
Advanced Options	16
Image Compression	18
Destination	20
<i>Destination 1: File system</i>	<i>21</i>
<i>Destination 2: Email system</i>	<i>23</i>
<i>Destination 3: Document Management System</i>	<i>24</i>
<i>Destination 4: Amyuni PDF Creator</i>	<i>25</i>
Watermarks	26
Security	27
Exports	30
<i>Export to EXCEL Format</i>	<i>30</i>
<i>Export to TIFF Format</i>	<i>31</i>
<i>Export to JPEG Format</i>	<i>32</i>
<i>Export to RTF Format</i>	<i>33</i>
<i>Export to HTML Format</i>	<i>34</i>
<i>Export to XPS Format</i>	<i>35</i>
Configuration	36
Technical Support	38

Legal Information

Information in this document is subject to change without notice and does not represent a commitment on the part of AMYUNI Consultants. The software described in this document is provided under a license agreement or nondisclosure agreement. The software may be used or copied only in accordance with the terms of the agreement. It is against the law to copy the software on any medium except as specifically allowed in the license or nondisclosure agreement.

The licensee may make one copy of the software for backup purposes. No part of this manual may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, recording, or information storage and retrieval systems, for any purpose other than the licensee's personal use, without express written permission of AMYUNI Consultants.

Copyright 2000-2007, AMYUNI Consultants – AMYUNI Technologies. All rights reserved.

Amyuni and the Amyuni logo are trademarks of Amyuni Technologies Inc.

Adobe, the Adobe logo, Acrobat and the Acrobat logo are trademarks of Adobe Systems Incorporated.

Microsoft, the Microsoft logo, Microsoft Windows, Microsoft Windows NT and their logos are trademarks of Microsoft Corporation.

All other trademarks are the property of their respective owners.

Acknowledgments

This software uses the deflate algorithm developed by Jean-loup Gailly (jloup@gzip.org) and Mark Adler (madler@alumni.caltech.edu). This software is also based in part on the work of the Independent JPEG Group and on parts of the FreeType library.

Main Product Features

- Ø Conversion of documents from any Windows application to standard PDF format by printing the document to the virtual PDF printer.
- Ø Resulting PDF document can be previewed either while being generated or after the conversion is completed.
- Ø Documents containing images can be compressed using a variety of image compression techniques such as JPEG, CCITT Fax, greyscale, down sampling, removal of duplicate images, ...
- Ø *Multi-national character sets* are supported. These include eastern-european, middle-eastern and far-eastern languages.
- Ø *TrueType®* and *Type1 (Postscript)* fonts can be fully or partially embedded in the PDF document to ensure perfect portability.
- Ø PDF documents can be *watermarked* using either a simple text string or another PDF file that can be used as background for generated PDF files. Watermarking can be defined from the user interface or configured programmatically.
- Ø PDF documents can be emailed directly using any MAPI or SMTP-compliant mailing systems as opposed to being saved on disk for later emailing.
- Ø PDF documents can be archived directly into ODMA enabled document management systems (DMS).
- Ø Developers are able to configure the Converter to allow them to *redirect the data stream* to process the data or to define a destination other than saving to file or sending via email
- Ø Conversion process can be completely automated from within the application.

The professional version of the PDF Converter provides the following additional features:

- Ø PDF documents can be *secured* using either 40-bit or 128-bit encryption algorithms to prevent them from being viewed, modified or even printed.
- Ø PDF documents can be *digitally signed* using any valid certificate installed on the end-user's system.
- Ø PDF documents can be optimized for downloading through the web, also known as PDF Linearization.
- Ø Generated PDF files can be *printed to a physical printer* after they have been generated.

New In Version 3.0

- Ø Support for the new XPS document format.
- Ø Improved Unicode and CID font embedding decreases the size of PDF files containing Asiatic fonts.
- Ø Support for creating structured PDF files, also known as tagged PDFs.
- Ø XMP metadata generation.
- Ø Create PDFs that comply with the PDF/A ISO standard.
- Ø Loading/ saving multiple configurations enables the developer to quickly select the best configuration for a print job.
- Ø Improved algorithm for handling image caching
- Ø Support for 2400 dpi resolution.
- Ø Plus a wealth of improved features as detailed in this documentation.

Installation

Before installing and/or using this product, please make sure you carefully read the copyright notice and agree on all its terms.

The install procedure described here applies to the end-user version of the PDF Converter. For installing and using the developer version, please refer to the “Common Driver Interface 300.pdf” manual that comes with this product.

Automatic Installation Procedure


An automatic installation procedure has been created to easily install the PDF printer on your system.

If you have received the product by e-mail, copy the file that you received in an empty directory, unzip the file and launch “pdfdrv.exe”.


If you have received the product on CD-ROM, you can launch “pdfdrv.exe” directly from the CD-ROM drive.

If you have downloaded the product from the internet, you can either save the file “pdfdrv.exe” in any folder and run it from there, or run it directly from your web browser by choosing “Open” instead of “Save”.


Installation Step 1



Installation Step 2




Installation Step 3



This step is skipped when installing the evaluation version.

It is recommended that you copy and paste the activation code that was sent to you as typing it without any errors can be a very long procedure.

Installation Step 4




If the setup fails, a log file is created either in your system's temporary folder, or the folder where you had copied the pdfdrv.exe file. The log file is needed by our support team to diagnose any problem occurring during installation.

The last setup screen also invites you to visit our web site where you can download some free utilities that can be used with the Amyuni PDF Converter product.

Uninstalling the Amyuni PDF Converter

You can partially or completely uninstall the product from the "Control Panel", "Add/Remove Programs" option. The following screen will appear:




Usage

The PDF Converter works like any standard Windows® printer driver. The main difference is that instead of directly printing to a printer, it generates a 100% PDF compatible file.

The PDF files generated by the PDF Converter can be viewed or printed to a physical printer by the Amyuni PDF Creator, the free Adobe® Acrobat® viewer versions 4 and higher, or by any other application capable of viewing standard PDF files.

When you use the “Print” menu of your application, you are prompted for the name of an output file:



Just enter any valid file name with .pdf extension. Other extensions can be used but the generated file will not be automatically recognized by the system as a PDF file.

By default, the file is overwritten if it already exists. To append the document to an existing file instead of overwriting it, you can check the ‘Concatenate’ button.


Various options are available to automate the naming of the output file with or without user interaction. These options are described later in the manual on page 20 under the “**Destination**” section.

Document Properties

The “Document Properties” button of the “Output File Name” window enables the user to enter various information related to the specific document that is being converted to PDF.

Info


Users can enter detailed information pertaining to the PDF document being generated such as Title, Subject, Author, Creator and Keywords.



The screenshot shows the 'Info' tab of a dialog box with two sub-sections: 'Document Info' and 'Security'. The 'Document Info' section contains five text input fields: 'Title' (containing 'Document'), 'Subject' (containing 'Test'), 'Author' (containing 'Amyuni Technologies'), 'Creator' (containing 'MS Word'), and 'Keywords' (empty). The 'Security' tab is also visible but not selected.

Security

The general security and encryption details for the document are displayed in this section of the Properties box. A detailed description for this window can be found on page 27 under the “**Security**” section.




The screenshot shows the 'Security' tab of the same dialog box. It contains three sections: 'Owner Settings' with a 'Document Protection' dropdown menu set to '128 bits encryption' and an empty 'Owner Password' field; 'User Settings' with an empty 'User Password' field and four checkboxes for permissions (all unchecked): 'Enable changing the document content', 'Enable printing of document', 'Enable copying text or graphics from the document', and 'Enable adding notes or modifying form fields'; and a 'Description' section with three bullet points explaining password requirements and permissions.

Configuration


Information presented here only applies to the end-user version of the PDF Converter. The developer version does not have any user interface; all printer configurations should be done programmatically as explained in the developer documentation and technical notes. The information presented here will however help the programmer have a better understanding of the various printer options made available by the PDF Converter.

The PDF printer properties are configurable using your system control panel or your application “Print” dialog box. The printer properties are available under “Document Defaults” in Windows NT and under “Printing Preferences” in Windows 2000/XP/2003.



The printer properties are divided into seven property pages that are detailed in the coming sections.


About



Activation Code

If the printer is already installed on your system, you may need to enter the licensing information and activation code that was provided to you when downloading or purchasing the product. Click on the button indicated above to enter the supplied license and activation code.

Paper Settings



Paper size

This is the default paper size for new documents. All standard paper sizes supported by Windows are also supported by the PDF Converter. This parameter is usually set by the client application. The default value for the Paper size is either A4 or Letter depending on the countries where the product is used. Users can define a custom paper size that they often use for their document in the “Custom Paper Measurements” box. The default values for custom paper sizes are 100 mm width and 100 mm length.

Resolution

75, 150, 300, 600, 1200, or 2400 Dots per inch (DPI). This property concerns mainly image resolution. Text precision can also be improved by increasing this value. The default value is 300 DPI.

Orientation

Portrait or Landscape. This is also a default value used for new documents only. Applications usually set this parameter internally. The default value is Portrait.

Vertical and horizontal margins

Most printers have a minimum physical margin below which they cannot generate any output. Applications use this value to prevent users from drawing outside the printable area. The default value is 6 millimetres.

Enable Scaling

Fit to paper size

This is the paper size for the newly generated documents. All standard paper sizes supported by Windows are also supported by the PDF Converter. This parameter is usually set by the client application. The default value for the Paper size is either A4 or Letter depending on the countries where the product is used.


Scale by

The relative size of the page when printed as compared to the original page size of the document

Fit

This option is used to print several pages from the original document on a single sheet of printed output by specifying the number of rows and columns.

PDF Options



Page Content Compression

On or Off. This option enables page compression using the zlib/deflate compression algorithm. Removing this option can be useful for debugging or for applications that analyse the generated PDF file. The default value is On.

Web optimization (Linearization)

To view a PDF file located on a web server or another PC on the network, the user needs to download the whole file to the local PC before being able to open this file. When this option is activated, the PDF reader can download and view the document page by page without the need for downloading the full document. This results in the PDF document appearing on the client's screen in a nearly simultaneous manner.

**This feature is available in the professional versions of the PDF Converter only*

Multi-language support

When this option is checked, the PDF Converter will also convert characters that are not in the western-European and US character sets (e.g.: eastern-european and far-eastern characters). The conversion in this case is however less efficient and files tend to be larger in size. Font embedding is recommended in this case to have some PDF viewers correctly display all the fonts.

Font Embedding

Setting this option to On will enable the driver to include all TrueType® and Type1 (Postscript) fonts used by the document in the output PDF file. This results in larger files but ensures consistent look of the document on any platform. The default value is Off.

This button enables the user to more accurately define which fonts to embed:

- Partial font embedding is active by default and instructs the PDF Converter to embed only portions of the font file that are really used by the source-document.
- Embed standard fonts is disabled by default. Enabling it instructs the PDF Converter to embed Arial and Times New Roman fonts. These fonts are not embedded by default as they are provided with Acrobat® reader.
- Embed licensed fonts can be checked to embed fonts that require a license from their manufacturer to be embedded. This option is disabled by default and should be enabled only if the user is sure to have the license required to embed the fonts installed on his/her system.

Output PDF/A


This option creates the document in PDF/A format. Selecting it gives you the option to choose whether the document is compatible with Acrobat 7 or Acrobat 8.

PDF/A is based on PDF 1.4 and places a certain number of constraints on PDF files to ensure that the files will remain readable with newer versions of operating systems and PDF readers. It has now become an ISO standard: ISO 19005-1 norm for Electronic document file format for long-term preservation.

Output XMP metadata

An XML representation of metadata describing the document, formatted according to the Extensible Metadata Platform (XMP).

Advanced Options



Automatic conversion to hyperlinks

When this option is checked, any text that has the format of a hyperlink will be converted to real hyperlink inside the PDF file. The PDF Converter will look for text that starts with any of the strings that are defined in the edit field. By default, the PDF Converter will look for all text starting with “www.”, “http://”, “file://”, “mailto:”, “https://”, or “ftp://”.

Create Bookmarks

When this option is checked, the PDF Converter will automatically create PDF bookmarks for the document. The user can specify up to 5 bookmark levels of nested bookmarks. The bookmarks are created depending on the font sizes for all text objects found in the document.

Multi-language support

When this option is checked, the PDF Converter will also convert characters that are not in the western-European and US character sets (e.g.: eastern-european and far-eastern characters). The conversion in this case is however less efficient and files tend to be larger in size. Font embedding is recommended in this case to have some PDF viewers correctly display all the fonts.

Enable Postscript Simulation

This option is particularly useful when printing graphic or image intensive documents, such as Microsoft PowerPoint presentations, Visio, etc....

ColorSpace

Default

Keep to original colors


grayscale

Using gray scale can decrease document size for archival or transmission purposes. The default value is Color.

CMYK

On or Off. When activated, all colors in the PDF document are converted to CMYK colors. CMYK colors are usually for printing documents on color printers. To obtain more accurate CMYK conversion, a color profile can be attached to the PDF Converter printer. This is explained in the technical notes on our web site or by going through the Microsoft Windows documentation.

Image Compression



The PDF Converter implements a number of image compression algorithms for colored, black, and white images.

Black & White compression

Algorithm:

Default compression

The default image compression algorithm makes use of colour palettes to reduce the overall size of all images. This algorithm works well as long as the number of colours does not exceed 256.

CCITT Fax Group 4

This algorithm is recommended to reduce the size of black and white images. Image quality is not affected by this type of compression but file size can be greatly reduced.

Color image compression

Algorithm:

Default compression

The default image compression algorithm makes use of colour palettes to reduce the overall size of all images. This algorithm works well as long as the number of colours does not exceed 256.

256-color compression

The 256-color compression algorithm computes the mostly used 256 colors in an image and replaces all other color pixels by their closest match. This lossless compression algorithm works usually very well with most applications but is relatively slow on large images with a greater number of colours.

JPEG compression

The JPEG compression algorithm produces excellent results with real life true colour images with a small distortion of the source image. It is not recommended for graphics other than real pictures.

When JPEG compression is selected, the JPEG compression level selection box appears. JPEG compression levels vary from 1 to 9. Level 1 produces poorer quality images with a very large compression ratio. Level 9 produces very good quality images with medium compression ratio. The default value is 7, which will produce compression levels and image quality suitable for most situations.

Automatic compression

(Windows NT/2000/XP only)

This algorithm analyses each image separately and tries to apply the compression algorithm that is best suited to that image.

Images

Remove duplicate images

If the same image is repeated multiple times inside a document and this option is checked, the image will exist only once in the PDF document, hence reducing the PDF file size. Setting this option will slow down the conversion speed depending on the number of images in the document.


Downsample high resolution images

Images used in a document can sometimes be at a much higher resolution than the printer resolution. Downsampling reduces the PDF file size by adjusting the image resolution to the printer's resolution.

Disable direct PNG/JPEG printing

This option instructs the GDI to send uncompressed images.

Destination




The PDF file that is created during the conversion can be sent to 4 different destinations depending on the user's selection. The PDF file can be:

- 1 – Saved to the local or network drive
- 2 – Sent by email transparently or using the end-user's email software
- 3 – Saved into the end-user's document management system (DMS)
- 4 – Sent directly to the Amyuni PDF Creator viewer

Destination 1: File system

The PDF file is saved to the local drive or on the network.



Parameters

Destination File:

The Destination file name can be set up in three different ways:

Prompt for file name

The user is prompted for an output file name each time a document is printed to the PDF printer. If a default directory is entered, the File Save dialog box is initialised with this value. The Default file name is not used.

Document title.pdf

The output file name is set automatically by the PDF Converter by concatenating the Default directory, the document title and .pdf extension. The document title depends on every client application. No additional user prompt is needed. The Default file name is not used.

Predefined by user

The output file name is predefined by the user in the "Default file name" field. The same file name is used for all generated PDF documents. No additional user prompt is needed. The Default directory is not used.

Overwrite option

This selection box defines the behaviour of the PDF printer when the output file already exists. The user can choose among one of the following options:

Overwrite without asking

The existing file is immediately overwritten by the new file without any confirmation. This is the default value that is compatible with previous versions of the product.

Confirm before overwriting

If the file already exists, the user is asked to confirm if he/she wishes to overwrite the file or cancel the operation.

Append to existing file

If the file already exists, the new document is automatically appended to it.

Add date-time to file name

The date and time are appended to the name of the file that the user gives through the user interface, or through the DefaultFileName function call. This is true whether the file existed or not. Example: if the user or programmer enters test.pdf as file name, the resulting file will be named testddmmyyhhmmss.pdf, where ddmmyyhhmmss is the current date and time.

Add ID number to file name


An incremental ID number is appended to the name of the file that the user gives through the user interface, or through the DefaultFileName function call. This is true whether the file existed or not. Example: if the user or programmer enters test.pdf as file name, the resulting file will be named testN.pdf, where N is an automatically generated ID number.

Print to

If a printer is selected, or the <Default Printer> option selected, the PDF document will be printed to a regular printer after the conversion to PDF is finished.

*** This feature is available in the professional versions of the PDF Converter only**

Destination 2: Email system



Parameters

Use MAPI v/s Use SMTP:

This option allows the user to send the file using either a MAPI compliant email application such as Outlook®, or directly using the SMTP protocol.

Prompt before sending the email

When this option is checked, the user is prompted with the various email parameters before the email is sent.

Recipients

The user can enter the list of recipients here. If more than one email address is entered, the addresses should be separated by a semi-colon (;).


BCC, CC

The user can enter the list of 'Carbon Copy' and 'Blind Carbon Copy' recipients here. If more than one email address is entered, the addresses should be separated by a semi-colon (;).

Subject, Message


The subject and message of the email that is to be sent with the PDF file attached.

Destination 3: Document Management System




Users who have a Document Management System (DMS) installed on their system can save the resulting PDF directly into their DMS. When selecting the “Document Management System” as file destination, the user will see the list of installed DMSs. In most cases, there’s only one DMS installed or one of the DMSs is designated as the default one. Selecting “<default>” will result in the document to be sent to the default DMS, if any.

When the DMS destination type is selected and a valid DMS is installed on the PC, the user will not see the standard PDF Converter “Save As” dialog-box, rather he/she will see a specific DMS dialog-box that will ask the user for information specific to their account. Example:



After logging in, the user will be prompted with dialogues that are specific to his DMS; the user can select the target location for the file.


Destination 4: Amyuni PDF Creator



Setting the destination to the *Amyuni PDF Creator* will launch the Amyuni viewer as soon as the document starts printing. This is useful to start viewing or modifying the resulting PDF without saving it first to a file then opening it with the viewer.

The “Print to printer” option will instruct the Amyuni PDF Creator to start immediately printing the PDF document to the selected printer. In this case the document is converted to PDF and printed simultaneously to a regular printer.

Watermarks



Use Watermarks

This option is checked when you want to use watermarks.

Location

Choose among the following options:

- Watermarks below page content
- Watermarks above page content

Simple text & External PDF Document


Watermarks can be added from two different sources: either Simple text or External PDF Document. The External PDF Document will be merged repeatedly with the document that will be generated from the printing process. This is useful to add company or personal letterhead to all printed documents.

The other fields in this dialog-box define the various text properties used for drawing the watermark, or the file name for the External PDF Document if that option was chosen.

Print watermark on first page only

When this option is checked, the watermark will appear only on the first page of the document.

Security



Encryption

When checked, this option enables documents to be encrypted and protected against illegal use or modification.

Quality

40 bits and 128 bits encryption

The user can choose either 40 bits encryption or 128 bits encryption as a level of security

Owner password

The owner password is for the author of the document and is associated to an encrypted PDF document. Moreover, it is mandatory and allows the author having this password to do any operation he/she wishes on this document, including modifying its security settings.

User settings

User Password

The user password is for the recipient or the user of the document and is associated to an encrypted PDF document.

It is optional and can be one of the following:

- A blank password: In this case, the user is not prompted for a password when opening a document, but is restricted to the operations allowed by the author.
- The same password as the owner: In this case the user is prompted for a password and the author of the document will not be able to open this document as an owner to change its security settings.
- A password different from the owner: In this case, the user will not be able to open the document unless he/she enters a valid password. When a valid password is entered, the document can be viewed but its usage is restricted to the operations allowed by the author.

Enable changing the document content

When this option is checked, the user is allowed to change the contents of the PDF document.

Enable printing of document

The user cannot print the PDF document to any printer unless this option is checked.

Enable copying text or graphics from the document


When this option is checked, the user can copy parts of the text or graphics from the PDF document.

Enable adding notes or modifying form fields

The main body of the document cannot be changed but the user can add annotation or enter data in the form fields if there are any.

NOTE: These options are managed by the tool used to view the document and not by the PDF Converter. Once a valid password is entered, it is up to the viewer or editor application to make sure that these security settings are respected.

***The Security feature is available in the professional versions of the PDF Converter only**



Check this option to add a digital signature to the PDF document.

Attributes

Signed by

This is the name of the digital certificate that is installed on the user's system. Usually it bears the same name as the person using the system. On any system, the user can have more than one digital signature installed from which he/she should choose one. The user can browse for available signatures by pressing the "...". Every digital certificate can have one or more "Intended Purpose". The user should select a certificate whose purpose is to sign documents among other purposes. Certificates whose only purpose is "Encrypting File System" cannot be used to sign PDF documents.

Reason for signing

The user should enter here the reason for signing the document, for example "Agreed" or "Certified".

Image

An image can optionally be associated with the digital signature. Click on the "..." button to select an image.

Location

The user can optionally specify where he or she was located when the document was signed.

Position and size

These fields specify on which page and location on the page the signature will be placed. Setting all the position parameters to 0 will create an invisible signature which can be used to simply authenticate the document's author.


Visible items

The user can choose to display or hide parts of the signature. For example the image can be hidden or displayed, same for Reason, Signed by, Location, Date Signed, and Signature type.

* The Digital Signature feature is available in the professional versions of the PDF Converter only.

Exports

Export to EXCEL Format



When this option is checked, it generates two files: a PDF file and an Excel file.

Excel Settings

Workbook type

Single sheet

The entire document will be printed on a single sheet

Multiple sheets


Every page of the file will be printed on a separate sheet

Optimization Level:

A user can choose among the different options of Optimization Level to optimize the document before it is exported to other formats. **Table Optimization** is recommended while exporting to Excel.

The text inside a PDF file is usually split into multiple parts; a single sentence or paragraph can consist of multiple pieces of text positioned independently inside the PDF document. This option attempts to regroup lines or paragraphs prior to exporting the PDF file into another format, or to make the file easier to edit.

Export to TIFF Format



When this option is checked, it generates two files: a PDF file and a TIFF file.

TIFF Settings

Output Preferences

Image Resolution:

75, 150, 300, or 600 Dots per inch (DPI). Text precision can be improved by increasing this value. The default value is 300 DPI. Other resolutions are possible, but going above 300 would create very large TIFF files.

Image Format:


BMP Format – No Compression, JPEG Low, JPEG Medium, JPEG High, CCITT Fax

Optimization Level

A user can choose among the different options of Optimization Level to optimize the document before it is being exported to other formats. **No Optimization** is recommended while exporting to TIFF.

The text inside a PDF file is usually split into multiple parts; a single sentence or paragraph can consist of multiple pieces of text positioned independently inside the PDF document. This option attempts to regroup lines or paragraphs prior to exporting the PDF file into another format, or to make the file easier to edit.

Export to JPEG Format



When this option is checked, it generates two files: a PDF file and a JPEG file.

JPEG Settings

Output Preferences

Image Resolution:

75, 150, 300, or 600 Dots per inch (DPI). Text precision can be improved by increasing this value. The default value is 300 DPI. Other resolutions are possible but going above 300 would create very large JPEG files.

JPEG Compression Level


Ranges between Small Size (Poor Quality) and Large Size (Good Quality)

Optimization Level

A user can choose among the different options of Optimization Level to optimize the document before it is being exported to other formats. **No Optimization** is recommended while exporting to JPEG.

The text inside a PDF file is usually split into multiple parts; a single sentence or paragraph can consist of multiple pieces of text positioned independently inside the PDF document. This option attempts to regroup lines or paragraphs prior to exporting the PDF file into another format, or to make the file easier to edit.

Export to RTF Format



When this option is checked, it generates two files: a PDF file and an RTF file.

RTF Settings

Output Preferences

Advanced RTF

Uses absolute positioning, (i.e.) all text is enclosed within frames. This method allows text to be positioned using exact coordinates and renders documents that look the closest to the original source visually, but they are not editable in a natural way.

Full RTF + Graphics

Stores the text in a way that flows naturally (doesn't use frames to position it). This mode renders documents that can be edited in a more natural way but sometimes visual accuracy is slightly compromised.

Formatted Text

Same as the Full Rtf mode except that only text is rendered. Pictures, vector graphics, etc are not exported in this mode.

Plain Text


The document is exported as a plain text file (no formatting). An option is provided in order to separate the different text elements by either using tabs or spaces.

Optimization Level

A user can choose among the different options of Optimization Level to optimize the document before it is being exported to other formats. **No Optimization** is recommended while exporting to JPEG.

The text inside a PDF file is usually split into multiple parts; a single sentence or paragraph can consist of multiple pieces of text positioned independently inside the PDF document. This option attempts to regroup lines or paragraphs prior to exporting the PDF file into another format, or to make the file easier to edit.

Export to HTML Format



When this option is checked, it generates two files: a PDF file and an HTML file.

HTML Settings

Output Preferences

Multiple Layers

The Document is exported to one html file, but only one page is visible at a time and navigation buttons are provided to move through the pages (layers)

Single HTML file

The entire document is exported to one html file

Multiple HTML File

Each page of the document is exported as an html file; all files are linked and navigation buttons are generated to allow easy navigation through the document

Support for Vector Graphics


The support for vector graphics in html is limited, so if this option is selected we create a background image for each page (if the page has complex vector graphics) and we render the vector graphics as part of that background.

Optimization Level

A user can choose among the different options of Optimization Level to optimize the document before it is being exported to other formats. **Paragraph Optimization** is recommended while exporting to HTML.


The text inside a PDF file is usually split into multiple parts; a single sentence or paragraph can consist of multiple pieces of text positioned independently inside the PDF document. This option attempts to regroup lines or paragraphs prior to exporting the PDF file into another format, or to make the file easier to edit.

Export to XPS Format



When this option is checked, it generates two files: a PDF file and an XPS file.

Configuration



The user can save different settings of Printer Configurations under different names; these values can be restored by selecting an existing configuration.

Set Current

This button updates the values of the property pages to match those saved in the selected configuration.

Delete


Deletes the selected configuration

Save

The save button saves the current state of all the property pages of Amyuni Document Converter.

Preview the Document

This option enables you to view the PDF after it has been generated without having to launch the PDF reader and open the created PDF file. When you click on this checkbox, you will be prompted to choose the application needed to view the PDF file; this can be Adobe Acrobat Reader®, Amyuni PDF Creator, or any other PDF viewer.



Language

A default language is supplied by the product activation code. The user can also specify the language used in the user interface from one of three options: English, French, Deutsch, Portuguese, Italian, Spanish, Japanese, and Chinese.

Technical Support

If you have any questions or problems with our products, the following resources are available to you through our web site:

Frequently Asked Questions:

<http://www.amyuni.com/en/support/faq.html>

Technical Notes:

<http://www.amyuni.com/en/support/technotes.html>

User forum:

<http://www.amyuni.com/forum/index.php>

Posting questions to our technical support staff:

<http://www.amyuni.com/en/support/index.html>

We also provide some additional tools that can be downloaded free of charge and used with the PDF Converter product. These tools are available at:

<http://www.amyuni.com/en/support/downloads.html>