









Clientop Industrial Co.,Ltd



Email: elice@clientop.cn MSN: eliceluo@hotmail.com Skype:elice.yu
www.clientop.com Tel: 86-755-33119906 Fax: 86-755-82663297



LCD/LED Controller board with TV

Model NO.	Image	Applications	Key Function Description	Unit price		
6M181.2B		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support HDMI / AV / VGA / S-Video / USB / Component/TV(PAL&SECAM_NTSC(Optional)) Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to1920*1080@60HZ 4、 Working voltage: +12V 5、 Power to panel: +3.3V/+5V/+12V 6、 OSD languaeg: Chinese, English is default . Other language can be customized . 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2×3W(4Ω) 9、 Standby: ≤0.5W(Board Only) 10、 USB function : Multimedia,firmware upgrade 11、 Support remote control 12、 Dimension : 232.5*81*20(MM) 	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$28.00	in stock
				10~200	US\$26.00	in stock
				500	US\$25.00	1 week
				1000	US\$23.00	15days
				Over 2K	US\$22.00	15days
VST26.1C		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support HDMI/ AV/VGA/S-Video/Component TV(PAL&SECAM_NTSC(Optional))/Coaxial(Optional) Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to1920*1080@60HZ 4、 Working voltage:+12V 5、 Power to panel: +3.3V(MAX700mA)/+5V/+12V 6、 OSD languaeg: Chinese, English is default . Other language can be customized . 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2×3W(4 Ω) 9、 Standby: ≤0.2W(Board Only) 10、 Support remote control 11、 Dimension : 232.5*83*16.5(MM) 	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$28.00	in stock
				10~200	US\$26.00	in stock
				500	US\$25.00	1 week
				1000	US\$23.00	15days
				Over 2K	US\$22.00	15days

Model NO.	Image	Applications	Key Function Description	Unit price		
				Quantity (pcs)	Price (USD)	Lead time
6M181.1C		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support 2 HDMI/1 AV Input /1 AV output /VGA S-Video/USB/2 Component /TV(PAL) /Coaxial (Optional) /Audio signal input 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to 1920*1080@60HZ 4、 Working voltage:+24V/+12V/+5V/+5VSB 5、 Power to panel:+5V/+12V 6、 OSD language: Chinese, English is default . Other language can be customized . 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2x9W(8 Ω) 9、 Standby: ≤0.5W(Board Only) 10、 USB function : Multimedia,firmware upgrade 11、 Support remote control 12、 Dimension : 6M181.1C :254.5*84.5*32(MM) 6M182.21B : 254.5*82*32(MM) 6M48.1C :251*89*32 (MM) 	sample	US\$32.00	in stock
				10~200	US\$30.00	in stock
				500	US\$28.00	1 week
				1000	US\$26.00	15days
				Over 2K	US\$24.00	15days
				Quantity (pcs)	Price (USD)	Lead time
				sample	US\$35.00	in stock
6M182.21B		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 10、 USB function : Multimedia,firmware upgrade 11、 Support remote control 12、 Dimension : 6M181.1C :254.5*84.5*32(MM) 6M182.21B : 254.5*82*32(MM) 6M48.1C :251*89*32 (MM) <p>Note : The three kinds of board almost with same function and dimation . The different is use different main chipset . So the different board have different display effect . Please select the board according to your project .</p>	10~200	US\$33.00	in stock
				500	US\$31.00	1 week
				1000	US\$28.00	15days
				Over 2K	US\$26.00	15days
				Quantity (pcs)	Price (USD)	Lead time
				sample	US\$40.00	in stock
				6M48.1C		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc
500	US\$37.00	1 week				
1000	US\$35.00	15days				
Over 2K	US\$34.00	15days				
Quantity (pcs)	Price (USD)	Lead time				
sample	US\$40.00	in stock				

Model NO.	Image	Applications	Key Function Description	Unit price		
				Quantity (pcs)	Price (USD)	Lead time
6M181.6A		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support 3 HDMI/2 AV/VGA/USB/2 Component TV(PAL/SECAM)/Coaxial(optional)/Audio signal input 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to 1920*1080@60HZ 4、 Working voltage:+24V/+12V/+5V/+5VSB 5、 Power to panel: +5V/+12V 6、 OSD languaeg: English/Chinese/French /Spanish/German/Arabic/Russian(Option) 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2x9W(8 Ω) 9、 Standby:≤0.5W(Board Only) 	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$33.00	in stock
				10~200	US\$31.00	in stock
				500	US\$29.00	1 week
				1000	US\$27.00	15days
				Over 2K	US\$25.00	15days
6M182.81B		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 10、 USB function : Multimedia,firmware upgrade 11、 Support remote control 12、 Dimension : 6M181.6A& 6M182.81B : 180*169*20(MM) 6M48.6A :185*182*18 (MM) <p>Note : The three kinds of board almost with same function and dimention . The different is use different main chipset . So the different board have different display effect . Please select the board according to your project .</p>	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$36.00	in stock
				10~200	US\$34.00	in stock
				500	US\$33.00	1 week
				1000	US\$29.00	15days
				Over 2K	US\$26.00	15days
6M48.6A		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 		Quantity (pcs)	Price (USD)	Lead time
				sample	US\$42.00	in stock
				10~200	US\$40.00	in stock
				500	US\$38.00	1 week
				1000	US\$36.00	15days
				Over 2K	US\$35.00	15days

Model NO.	Image	Applications	Key Function Description	Unit price		
				Quantity (pcs)	Price (USD)	Lead time
6M181.7A		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support HDMI / 2 AV / VGA / USB /Component TV(PAL&SECAM)/Coaxial(optional)/Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to 1920*1080@60HZ 4、 Working voltage:+12V 5、 Power to panel: +3.3V/+5V/+12V 6、 OSD language: Chinese, English is default . Other language can be customized . 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2×3W(4Ω) 9、 Standby: ≤0.5W(Board Only) 10、 USB function : Multimedia,firmware upgrade 11、 Support remote control 12、 Dimension : 190*104*22 (MM) 	sample	US\$32.00	in stock
				10~200	US\$30.00	in stock
				500	US\$28.00	1 week
				1000	US\$26.00	15days
				Over 2K	US\$24.00	15days
				Quantity (pcs)	Price (USD)	Lead time
6M16 V2.0		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support HDMI / 1 AV input / 1 AV output / VGA / USB /Component/TV(PAL&SECAM_NTSC(Optional)) S-Video / Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to1920*1080@60HZ 4、 Working voltage: Only +12V or +12V/+5V/+5VSB 5、 Power to panel: +3.3V/+5V/+12V 6、 OSD language: English,(French ,Spanish ,Italian, German, Portuguese, Dutch etc)(Option) 7、 Key function: CH-,CH+,MENU,VOL-,VOL+,PC/AV ON/OFF 8、 Audio output power: 2×5W(8Ω) 9、 Standby: ≤1 W(Board Only) 10、 USB function : Multimedia(Only support photo and music),firmware upgrade 11、 Support PIP/POP function 12、 Support remote control 13、 Dimension : 235*110*32 (MM) 	sample	US\$38.00	in stock
				10~200	US\$36.00	in stock
				500	US\$35.00	1 week
				1000	US\$34.00	15days
				Over 2K	US\$32.00	15days
				Quantity (pcs)	Price (USD)	Lead time

Model NO.	Images	Applications	Key Function Description	Unit price		
				Quantity (pcs)	Price (USD)	Lead time
VST29.02B		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support HDMI / AV / VGA TV(PAL&SECAM) Ext-USB /Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to 1920*1080@60HZ 4、 Working voltage:+12V 5、 Power to panel: +3.3V/+5V/+12V 6、 OSD languaeg: English, French, German, Italian, Spanish, Portuguese, Russian(optional) 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2×3W(4Ω) 9、 Standby: ≤1W(Board Only) 10、 USB function : Multimedia(Only support photo and music),firmware upgrade 11、 Support remote control 12、 Dimension : 187*52*18 (MM) 	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$20.00	in stock
				10~200	US\$18.00	in stock
				500	US\$17.00	1 week
				1000	US\$16.00	15days
				Over 2K	US\$15.00	15days
RT2661.3C		<ul style="list-style-type: none"> •TV Set •LCD Monitor •Advertising machine •Industrial machine •Security monitoring displays •Projection equipment •etc 	<ol style="list-style-type: none"> 1、 Support VGA / S-Video / TV(PAL&SECAM) /AV Audio signal input & Output 2、 Designed to support Dual/Single LVDS Panel 3、 Resolution: Up to 1920*1080@60HZ 4、 Working voltage:+12V 5、 Power to panel: +3.3V/+5V/+12V 6、 OSD languaeg: Chinese, English is default . Other language can be customized . 7、 Key function: MENU, CH+, CH-, VOL+, VOL-, INPUT, POWER 8、 Audio output power: 2×3W(4Ω) 9、 Standby:≤0.5W(Board Only) 10、 Support remote control 11、 Dimension : 190*58.5*18 (MM) 	Quantity (pcs)	Price (USD)	Lead time
				sample	US\$19.00	in stock
				10~200	US\$17.00	in stock
				500	US\$16.00	1 week
				1000	US\$16.00	15days
				Over 2K	US\$15.00	15days
Packing	Cartons+Bubble bag					
Payment terms	Western Union or ESCROW for sample order ,T/T for mass order .					
Warranty	1Year					