

# BITS, BYTES & PIXELS



JANUARY 1989

VOLUME 5 #1

## AN DO COLUMN TERROTOR OF PRESENCES by FUNCELNES's menior author, Tony Refevers

EDITOR'S NOTES The following text file and accompanying so column FUNNELWEB editor files were received by the Lima Weser Group directly from the author. Tony has written an 80 column version of FUNNELWEB's editor specifically for the DIJIT NMPC card. These modified ED/EE files include an BO column display and several other enhacements not found in the normal FWB 40 column editor. The most notable of these additional enhancements is a continuously displayed ruler at the bettom of the screen with its own special cursor that tracks the column position of the regular cursor on the ruler. This editor has been tested by Tony using a Myerc disk controller and the DIJIT AVPC card. The editor MAY or MAY WIT also work with the Geneve or Mechatronics 80 column card, both of which use the same video chip as the AVPC card. Compatibility with these devices has not been tested as of this writing. As received by the Lima UG, the FWB 80 column editor files do not work properly with a a TI controller. Tony has been advised of this problem, and a quick fix is expected. No tests have been done with a CorComp controller.

We think it is great that Tony is programming for the AWPC card. He is anxious to get this preliminary version of his 80 column editor out to AVPC users as quickly as possible, and additional updates of these special ED/EE files are expected. As with the Geneve, the AVPC card needs good software to utilize its full potential. Individual owners of DIJIT's AVPC card as well as user groups (who may wish to experiment with the Geneve or Mechatronic card) can obtain a copy of these 80 column FUMNETENEE files by sending a disk and paid return sailer to the Lina User Group, Box 647, Venedocia at 43074.

#### FUNNELWED DO-COLUMN EDITOR NOTES

NOTE:— This is a preliminary document file to accompany the initial test release of the Funnelweb Farm 80-column Editor, and both the Editor files and this document may be subject to abrupt change. It is being written using the program itself, as one of the early tests. Of course bugs become obvious only after they bite you. We feel that the importance of the DIJIT AVPC card to the TI 99/4a community in giving their trusty old machines a new lease on life justifies the rapid release of this program, so that an Editor to Funnelweb standard is available immediately. This is only the beginning of things that the AVPC will make possible.

The Editor files EB/AWPC and EE/AWPC accompanying this document file FWBGC/AWPC may be substituted on your system disk for the normal Funnelumb Vn 4.12 ED and EE files under the some

EB/EE masss recognised by Funnelugh. The Editor is intended for use on TI-99/4a systems enhanced with a 9993B video processor. It was developed using the AVPC card from DIJIT SYSTEMS (4345) Martensia St., San Diego, CA 91203) and is specifically intended for 99/4a systems using that card. It is not yet known whether it morks on other V9938 systems such as the Mechatronics **M-column** unit or the Myarc Geneve in 99/4a mode. The program as supplied here does not use the color bus or indirect ports to the V9938 to minimize any chances of incompatibility . If there are any problems with these other units please let us know, but umless fixes are obvious we may not be able to do much about it in the absence of the specific hardware. This Editor is set up salely for a V993B system, and will cause unpredictable results om a standard 99/4a system. The Vn 4.12 Funnelweb system with 40-col Editor runs in the usual fashion on an AVPC equipped machine. Best results will be obtained with a RGB color monitor, of adequate resolution. We are using a Commodore Amiga 1084S which at 0.42mm color dot triad pitch is only just good enough for 80 column work.

All the features of the Funnelweb Vn 4.12 Editor and its relation to the rest of the system have been retained and some new ones specific to the V9938 video processor have been addmd. As always the text buffer in CPU RAM is NO less in size than it is in the original TI-Writer. NO specific extra hardware other than the AVPC card or functionally equivalent device is needed, and any module can be used, just so long as your system can load Funnelweb in the first place. If XB is your normal module you don't have to remove it to run this 80 column editor. Read this file in conjunction with FWDOC/TIWR from your Funnelweb package. Now or altered features are as follows:-

- (1) The (fctn-5) windowing function is no longer needed and this key now toggles an enhanced display in either Edit or Command modee. This shows extra lines at the bettom of the screen which contain a ruler line and a moving column marker. The column marker moves along under the ruler line in sympathy with the cursor. It always shows the actual column number relative to the left edge of the text area (the number indicated agrees with the EoF ruler) and if line numbers are displayed it will be 6 columns to the left geometrically.
- (2) Interlace mode may be toggled by using <ctrl-6> in Command mode. Interlace mode as implemented in the V9938 is not very satisfactory for text work (it isn't in the Amiga either) and the loading default is Interlace Off.
- (3) The colors of the ruler line toggled at the foot of the page and the top command line, can be chosen separately from the general screen colors. Pressing (ctrl-4) while in Command ande cycles the color choice

NEXT PAGE

through the 10 chaices that you have configured in your Funnelweb system, in such the same way as <ctrl-3> cycles the main screen colors. On initial loading of the Editor the color set is the next one after the main screen color in the rotation. On immediate re-entry from Funnelwook the previous color is retained even if the main color has been changed. This could be altered if users prefer to follow the color as set by Funnelweb on all entries in the same May.

With line numbers displayed only 74 columns are on screen. If the cursor passes column 73 the display switches to the no line number mode, and if line numbers are wanted again, press (fctn-0) as usual after the curser is again to the left of column 73.

The DV/80 file (V)iew function in SD is now in full BO column mode, but the SD display itself remains in the familiar 40 column layout for easy reading. All functions on the SD command lines remain the same.

- (6) The <ctrl-Y> left margin release now acts at both left and right margins in corresponding fashion.
- As an experiment the alternate TAB key (ctrl-I) has been shifted to <ctrl-Z> to make a complete left-hand cursor pad, so that stretching for (fctn-7) is not mecessary. (ctrl-7) used to be the alternate Cops key to <ctrl-i> and is now swapped to <ctrl-I>. I always used (fctn-1) for Cops anyhow!
- The V9938 may be set for either NTSC or PAL TV scan standards for the RGB outputs. Most hi-res RGB conitors will automatically adapt for either. The PAL display occupies less of the screen vertically, and has even worse flicker than NTSC with interlace on, but text characters are less elongated, less stripey, and easier to read. The choice may be set with a sector editor in the first sector of ED (as for the margin bell which has been set to a default of 8 rather than the 5 used in the 40 column original). If byte #14 (>OE) is >OO then NTSC will be set, and any other value will set PAL. With Disk-Patch loaded from the Funnelweb menu this is the first byte on the second line of the display.
- (9) You may also find the larger CHARA2 character set is more legible in 80 columns. If so make CHARAI and CHARA2 both the same.

Future developments in mind include conversion of the SD display to full 80 columns. This will require a change in the file marking protocol and we have not yet decided the best way to do it. Also a help screen feature is a possibility for the future. After that me'll think about really using the MVPC.

These files are also distributed by DIJIT SYSTEMS with their AVPC card by permission of the authors. This does not alter any of the authors' rights and the usual FAIRWARE conditions remain in force for this extension of the Funnelmeh system. If you don't think it is worth supporting or don't bother to, then be honest and don't use it, but please show your appreciation of the free trial by passing it on to others who

Tony + Will McGovern. 215 Grinsell St,. Kotara, NSW 2289

\*\*DONE\*\*

BITS, BYTES & PIXELS

Published by Lima OH

99/4A User Group

Material contained herein may be copied by any user group as long as credit is given. DV80 files of # most articles in BB&P can **be** obtained by sending disk and return postage.

\* ADDRESS-Venedocia Ohio 45894

Published monthly except July and August

President-David Szippl

419-228-7109

Vice Pres-Melvin Nomina

419-692-9564 \*

Treasurer-Leonard Cummings\*

\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*\*

Newsletter editor and

**‡ Li**brarian-Charles Good

419-667-3131

P.O. Box 647

GROUP OFFICERS

419-738-3770 #

#### EZ-REPS PLUS THE HOST VERBATILE "HIST NEVS" UTILITY AVAILABLE FOR THE 99/4A

a review by Charles Good Lima Ohio User Group

Is EZ-KEYS PLUS just another a hot keys program that emables you, with a single keypress, to execute complex commands with a single keystroke? It is really hard to characterize this software. The title screen states that EX-KEYS PLUS is "an enhanced environment for programming im extended basic." The publisher, ASBARD SUFIWARE, claims that EZ-KEYS PLUS is not offered primarily as a hot keys program. but in my opinion it beats all other hot keys programs for the II hands down. EZ-KEYS PLUS works out of the extended basic environment and contains features that make programming in XX, or typing in programs from newsletter or magazine listings much easier. EZ-KEYS PLUS lets you create hot keys macros that do things in XB that are otherwise difficult or impossible. In terms of versatility, EZ-KEYS PLUS reminds me of the GRAM KRACKER. With both you can custom program the thing to do exactly what you want, and the custom programming possibilities are for the most part only limited by your imagination, needs, and programming skill.

E7-KEYS PLUS is version 2 of what was originally called E2-KEYS and reviewed in the January 1988 issue of Micropendium under that title. New features added to version 2 and not described in the Micropendium review include the following:

Automatic generation of checksums (if desired) when typing in programs.

Super easy printing to a printer of program listings in 28 colums with checksums added. This is great for newsletter editors!

Provision for you to INPUT data into the middle of a eacro. This feature is very very useful, as you will subsequently see.

Automatic single density assembly language screen tump (without sprites) with the press of a key from almost anywhere within a running XB program or from command mode.

Display a disk catalog at any time without disturbing the ID program already in memory.

Create screens of text in 28 columns with a full screen editor, save the screen to disk, and load the screen back in for display from anywhere within an XB program or command mode.

Create your own custom character sets and load these into your XB programs.

You boot EZ KEYG PLUG directly from XB usually as LOAD. It normally resides in Low memory expansion and is totally transparent to any XB program that does not have built in assumbly language routines. Extensive efforts have been made by the program author, Harry Wilhelm, to make EZ-KEYS PLUG also transparent to XB programs that have assembly routines. Various techniques are available to the user to make EZ-KEYS PLUG compatible with XB programs that have assembly routines.

and usually something can be worked out. E2-KEYS PLBS decen't interfere with other interrupt driven assembly routines such as a clock or BBS program. If necessary for compatibility with other XB assembly routines, E2-KEYS PLBS can be loaded into Hi memory expansion.

The program comes unprotected, as does all software from ASEARD, and can be booted from a ramdisk. You can put customized versions of EZ-KEYS PLUS on your various user disks to combine EX-KEYS PLUS's features with those of other arearams. You can modify EZ-KEYS PLUS so that once loaded it will automatically RUN "DSKx.YOURPROS" to boot your application program. You can have EZ-KEYS PLUS boot FUNDMELKED v4.1x this way and have most (not all) of your previously defined EZ KEYS PLUS hot key macros available for wae within any XB program you then boot from the FWB XB weer list. If you do this, you loose all EZ-KEYS PLUS features that are accessed via CALL LINKs. These lost features include checksums, color changes, autosaving, screen dump, full screen editing saving and loading, hilite, and the use of the macro editor to change macro definitions.

#### AIDS FOR CREATING AND/OR TYPING IN XB PROGRAMS

AUTOSAVE: You can designate a time interval in minutes and at the end of each interval E7-KEYS PLUS will automatically save what you have typed to DSK1 alternately to files BACKUP1 and BACKUP2. This is insurance against 18 lockup. You don't have to worry about an accidental automatically. FCTM/= gives you a disk catalog instead.

CURSOR HOVEMENT: You can now move the cursor up and down within the text of a program line number. If the cursor is within the upper row of text you can move it instantly to the homining of the LINE NUMBER and this line number can be changed if desired. If the cursor is in the last row of a displayed line number you can move it instantly to the end of the text in this line. CTRL/E and X let you perform these cursor manipulations.

HILITE: When you turn on this feature digits and arithmetic operators are displayed with foreground and background colors reversed. This makes it easy to distinguish zero from the upper case letter 0, and the number one from the small case letter 1.

PROGRAM LINE LENGTH: Your XB program lines are not limited to 5 screen rows any more. Just keep right on entering code after typing a line number and you can fill the entire screen (23 rows) with the code of one program line number. Sometimes, however, the XBASIC interpreter will refuse to accept extra long program lines.

SAVE AND LOAD TEXT SCREENS: With a full screen 28 column by 24 row editor you can create screens, save each screen to disk under a separate file mane and then load then back into your program. This is an easy way to create help screens for viewing only if needed, or game screens.

NEXT PAGE

CHECKBING: If you are typing in a published XB listing that contains checksums (such as these published in Micropendium and in most newsletters these days), just type CALL LINK("SUMON"), press FCTN/4, and start typing. A checksum is automatically generated each time you press ENTER. You can, if you want, create a hot key macro to do all the above CALL LINK, FCTN/4 typing for you with just a single keypress.

If you are a newsletter editor you know what a pain it is to add checksums to an existing program and then print a hard copy of the program with checksums for publication in the newsletter. Using the standard method of adding checksums to an existing program generates several intermediate disk files. The degree of complexity in doing this is similar to wacompressing and unpacking an archived file with Archiver v2.4. I am aware that commercial program SUPERBASIC makes the task of adding checksums easier than the standard method. I have used SUPERBASIC for this purpose. EZ-KEYS PLUS is by far the easiest of all. First load the extended basic program to which you wish to add checksums. EZ-KEYS PLUS and type CALL LINK("SUMON"). Finally type the first line number of your XB program and then gress CTML/L. Thats all there is to it! When you press CTRL/L the printer proceeds to grind out a hardcopy list of your XB program printed in 28 column format with checksums added to the end of each line number. This is so easy it has to be seen to be There is now no excese for any newsletter to publish XB code without checksums. User groups that publish a newsletter that sometimes contains XB program code should consider purchasing a copy of EZ-KEYS PLUS for use by the newsletter editor.

#### HOT KEYS and MACROS:

In this area EZ-KEYS PLUS really stands out from wthen hot keys software. You can from within EZ-KEYS PLUS easily define macros for up to 55 hot keys and then save this customized E7-KEYS PLUS so that the defined hot keys are immediately active the next time you boot the customized software. A single macro can include up to 669 keystrates. Approximately 1200 bytes of low memory expansion can be wood to store these macros. To access a macro you press CTML or FCTN and another key simultaneously from either XB command mode or from a running XB program. All CTRL/- and some FCTN/- keypresses are available use with your macros.

Unlike most other hot keys software packages for the TI. such as II KEYS, you are not limited to just ASCII text. You cam, for example, include (enter) in a macro definition. You can define a macro as LIST "PIO"(enter). appropriate hot key is pressed, this text appears as the screen, the software presses (enter) for you, and the LIST is automatically sent to your printer. Very complex macros are available with (enter) and the following other special keys that can be included within a macro definition:

FCTN/i- delete character

FCTN/2- insert char

FCTM/3- erase entire program line

FCTN/4- CLEAR

FCTM/5- move cursor one space to the left

FCTM/4- move cursor up one screen row, or to the start of the program line

#CTN/7- move cursor down one screen line or to end of program line

FCTN/8- REDO

FCTN/9- erases all text to left of cursor

INPUT - stops execution in the middle of a macro until you input some text. The remainder of the macro will execute after you press (enter).

MOLD - macro is ignored if the hot key is accidently pressed during a running XB program.

Small XB programs can be stored in low memory expansion and executed as macros with a single keypress. When used im this way, EZ keys acts as sort of a ram disk. The EZ-KEYS PLWS package includes such a program that will read any D/VEO file to the screen.

Macros can be chained, one macro calling another. can embed macros within other macros, with many levels of embedding possible.

#### PROGLETS:

By now you are probably beginning to appreciate the extensive programming possibilities available with EI-KEYS PLUS eacros. I have saved the best for last. PROGLETS are sequences of XB commands without line numbers that are designed to run from XB command mode. They are like eroerans, but cannot be called programs because they lack lime numbers. Many examples of useful PROGLETS are given in the EZ-KEYS PLUS docs, and some PRD5LETS are already defimed with the software as received. It is possible to write a proglet that will RUN an XB program, automatically incort data into the program such as answering Y or N to promots within the program, and then do something else after the program ends. Now! Here are some simple PROGLETS I have written for my own use:

OPEN #1: "PIO" :: PRINT #1 :CHR\$(27)&"G" :: CLOSE #1 !P rinter DOUBLE PRINT(enter)

This macro displays the above text on the screen, presses enter, and executes the macro. The tail comment reminds 🐽 that the macro sets up my printer for doublestrike. I have sther macros to set my SG10 printer for NLD, condensed, emphasized, or expanded print, and a printer reset macro.

OPEN #1: "PIO" :: PRINT #1 :"(INPUT)" :: CLOSE #1(ENTER)

This macro allows me to type some text and have it immediately printed by my printer as soon as I hit ENTER. I can use my printer as a line by line typewriter with this macRD. The macro waits for me to input mame text. After I type the text and manually press ENTER, the macro puts a closing quote at the end of my text, finishes typing the macro on the screen, then presses ENTER to automatically sends the text to the printer for printing. However makes

CALCULATOR MACRO: By far the fastest way to use your computer as a calculator is from BASIC or XBASIC command mode. Here is my calculator macro. It appears very simple, but it allows easy data entry, can do any kind mathematical operation, and calculation time is very fast. Here is the macro:

! Calculator mode(enter)A= (INPUT) :: PRINT A(ENTER)

The macro first prints on the screen a reminder that you are in calculator mode. You then input your digits and arithmetic operators, and then manually press ENTER. The macro then prints the answer on the screen. You can input a wory long string of calculations as you might when balancing a checkbook. For example: 11290-56.98-58-2.50-436-99.95+430. You can also input very complex operations such as (5.5)/6+98+.005t6/(.02t9). Press ENTER and the answer is inmediately displayed on the screen. Of course you can dut the same thing without EZ-KEYS PLUS directly from XB command mode, but with the macro there are fewer keypresses.

#### COMPATIBILITY PROBLEMS:

In addition to the occasional incompatibility with a few #B/assembly language programs, a few other problems have been discovered.

The disk directory routine will not recognize Harizan Randisks at high CRU addresses. Other popular software packages such as FUNNELWEB and DM1000 have been rewritten in recent years to solve this problem. I suspect that this problem can also be solved in EZ-KEYS PLUS with minor changes to its assembly code.

the screen display is confused with excess foreground colored dots if you try to automatically load another XB program from EZ-KEYS PLUS by including RUN "DSK1.ANDTHERPRG" within the EZ-KEYS PLUS code. This condition does not occur with regular II EXTENDED BASIC. To avoid this problem, you have to wait for EZ-KEYS PLUS to fully load into GK-EXTENDED BASIC, and then load your XB application program from command mode. I suspect that the problem relates to the special character set of GK-EXTENDED BASIC being overwritten by the almost identical character set that is loaded in by EZ-KEYS PLUS. Since the SUPER EXTENDED BASIC module (version 120) is supposed to be almost the same as GK EXTENDED BASIC, users of this module may have similar problems.

Another minor problem that occurs only with the use of 6K FYTENDED BASIC (and maybe also with the SUPER EXTENDED BASIC module) is the lack of special the screen display which you are supposed to see in the macro editor when you use FCTM, CTRL, INPUT, and HOLD as part of a macro definition. The defined macros execute correctly, so this is only a minor problem.

#### FINAL COMENTS:

I am impressed enough with EZ-KEYS PLUS that after finishing this review I sent my money off to ASGARD and purchased my review copy. If you think you can use some of the features described in this review and/or if you enjoy experimenting with XB programming and would like to try your hand at PROGLETS, then by all means give EZ-KEYS PLUS a try.

EZ-KEYS PLUS \$14.95 plus \$0.75 shipping Asgard Software P.O. Box 10306 Rockville MD 20850 Credit card phone orders \$00-436-9272

##DONE##

## by Andy Frueh Lima Ohio User Group

Some people use the expansion box for a hamster cage. Others use disks for wallets. However, most use the good of.'

7.1. for more constructive tasks. While many argue blasting aliens or doodling on-screen isn't constructive, I believe if the computer has the capability for great games or drawing meat pictures you should exploit these capabilities!

I'm not saying one shouldn't come up with all sorts of utility programs, I'm just saying that's not all you should do. As some of my fellow Lima users know, I do use the T.I. for music, art, word processing, etc. The T.I. was designed to be an easy-to-use MULTIPURPOSE computer. That's how we all should use it. I'm not trying to preach. I'm not saying all of you who use the TI mainly for word processing should run out and buy the latest game. That's not may point. It all boils down to this. Try to discover and use the other features of this powerful home computer. You may suprime yourself as to the many features and applications of the T.I. you have been neglecting! The best place to start is your there Group. Borrow some programs from a category you are unfamiliar with, run them, and enjoy!

MISCELLANY: Two women were talking one day. One said, "My husband's going to be rich, smart, handsome, generous, fumny, considerate, sensitive, cultured, warm, clean, brave, and sophisticated!" The other thought for a moment and exclaimed, "See, how many times are you going to get carried?"

##DONE##

#### MOSTAS YOUR COMBOLE AN A CALCULATOR by Charles Good

This idea comes under the "why on earth didn't I think of this before" category. Probably Have you ever wanted a really easy way to use the 99/4A as a calculator? Perhaps you can't remember where you put your pocket calculator but you always know there the good old TI is located. The best way to use the console as a calculator is from command mode! Type PRINT followed by a string of calculations, and then press ENTER. That's all there is to it! This method allows very rapid data entry and rapid calculation of complex problems. You might use this method to balance your checkbook by entering a series of numbers such as:

PRINT 1254-56.25-452-6.95-77.89-36-45.80+45+ 6.32-99.99 530.44

You can also do complex calculations such as: PRINT (56\$9)/(2.5\$6.52)+96-(8/.2+65) -30.797546

Try it! All you need is a console. Just turn it on and enter either BASIC. No module or program loading is required.

\*\*DONE \*\*

#### MY ON MAIL LIST PROGRAM

by Harry Alston Lima Ohio User Group

familiar with PR-BASE, and CREATIVE FILE SYSTEM and bave recently pruchased TI-BASE. All are good programs and I have so remarks against them. I do find them time consuming with regard to loading, intitializing, formating, etc. My program is a rehash of the original TI-MAIL LIST. There is so little left o the original that I feel right in saying it is ay verify the name, (Y/N). A YES ask if you wish to print a creation. It is not the fastest mail list program but it loads out quite fast and will access files in good time. It 3 15/16" label. You are asked if you wish to continue the does have features that will delete, add, search, search. A NO returns you to the main menu. alphabetize, save, load, and print in 2 formats. It is a program that, modifies readily. I have 4 or 5 versions that are modified for specific uses. The print format is 3 across labels which could easily be modified for 1 or 2 across. The program here is DIM(100) but I (ind if my mail list will be TELEPHONE. All entries are optional and you may omit any no larger than 25/35 then I can change the DIM and the speed requested information. After all entries are complete, press increases proportionately. I hope it is to your liking. I ENTER and you will be asked to verify data prior to placing mounted appreciate receiving any changes that members might in memory. If all data is correct, press ENTER and reply to make that enhances its operation. I successfully run a 1400 the prompts. a NO to all prompts returns you to the main client mail list for a travel agency here in Reedley and I menu. save files by alpha i.e. FILE/A, FILE/B, FILE/C etc. I beat the biggie mail programs by a mile. ENJOY!

EDITORIAL MOTE: Harry was one of our original out of state members. His local user group folded a year or so age and the writes. "I do wish I had a Baar Group close by so I could be active within the club." His addiction to the 99/4A needs care and feeding. Whether or not you are a member of the Lima UG and whether or not you wish to comment on Harry's program, why not write to him. Maybe you could offer to trade programs with him. Harry Allston's address is 10300 Kings River #57, Reedly CA 93654.

The DOC file for Harry's mail list program is printed below. This file should give you a good idea of the features of the program. This public domain software is available at no charge by sending a disk and paid return mailer to the Lima Umer Group, P.O. Box 647, Venedocia DM 45874.

#### A MAIL LIST PROGRAM by: Marry Allston

10300 Kings River Road #57 Reedley, CA 93654 (209) -638-7523

Program is saved under LOAD.

If you are planning to print a mail list report enter:

DT\$=Date of report RT\$=Name of report. i.e. "User Group #21 mail list"

If you plan to print labels only, skip the above instructions and press ENTER until you arrive at the main BEAL.

## 1. REVIEW MAIL LIST

You must have data in memory to use this function. This is a MAIL LIST program that I we quite often. I am Allows you to view all names in a file sequentially. Press "R" to return to the main menu.

## 2. SEARCH FOR A NAME

Enter all or part of a LAST name. You are asked to (minele) label. A YES causes the printer to output to a 1 I

## J. ADD NAMES

Enter LAST name, FIRST name, ADDRESS, CITY STATE, IIP and

#### 4. \* CRANGE

Enter all or part of a LAST name. You are asked to verify the name, (Y/N). A YES takes you to a new menu.

CHANGE:

- 1. Last name
- 2. First name
- 3. Address
- 4. City State
- 5. Zip code
- 6. Telephone
- 7. No change

There is no need to retype the entry to make a change, just type the correction. i.e. Change LAST name from WRIGHT to RIGHT. Just delete the "H". Follow the prompts and a NO returns you to the main menu.

## 5. DELETE

To delete a file you must type the complete last mame. This saves many lost records when you act in haste.

#### 6. Alphabetize

You only have one choice. LAST name ascending.

### 7. SAVE

You get a chance to back out prior to a commit to save.

The LOAD file name will appear (DSK1.filename). Enter the filename or change the filename or just press ENTER.

## 8. LOAD

You get a chance to back out prior to a commit to LOAD. A slight pause to clear the memory from the last file. Now mater the disk drive # and a filename. When the file has been loaded you will be told how many records in this file and your limit. Press ENTER to return to the main menu.

## 9. PRINT

You have (3) three uplions

- 1. Print mail labels Program is written to print 3-across to guamed labels. This could easily be modified to print (1) or (2) across to the larger labels. See limes 1830-1850.
- 2. Print a mail list report Here is where DT\$ and RT\$ are used. If, at the beginning of the program you had entered data at DT\$ and RT\$ you would print it out on this report.
  - 3. Return to main menu.

\*\*DONE\*\*

#elow is a sample address list printout from Allston's Hail List program.

REPORT PAGE 18 FOR: JANUARY 3, 1988	: JAMUARY 3, 1988 — Sample Mail List Report 	2 12 4 14 14 14 14 14 14 14 14 14 14 14 14 1	File name:1.0EMO/A/B	/A/B enseeneesess
MENBER MANE	ABORESS	TY-ST	#11Z	1E.
ASHLEY, SANDRA	6371 N. 6th STREET	FRESMO, CA	93710	0648-007
AVERY, IRENE	2545 I. ELLERY	FRESHG, CA	93710	435/9580
AZEVEDO, DANIEL	724 M. LAMBNA	FRESHO, CA	93728	268-9720
BAIRD, MR. & MRS. STANLEY	2218 31XTH ST,	SANGER, CA	93657	15-5394
BALL, EUGENE	1703 RICHERI	CLOVIS, CA	93618	192-2583
BARGER, MR. & MRS. ROBERT	12447 E. HERNDON AV.	CLOVIS, CA	93612	799-4911
BARSOIAM, LEO	1745 E. CORNELL #103	FRESNO, CA	92703	222-2558
BAZAR, JOHN	4090 4. WILSON	FRESNO, CA	93704	722/8514
BEARD, CHARLES	12534-D GEDRGIA CIRCLE	MADERA, CA	93637	673-2540
BECKER, ANNA	2084 3. WILLOW - APT. #5	FRESNO, CA	93727	
BERGFORL, MR. & MRS. RUSSELL	5537 EDITH DR.	FRESNO, CA	93727	191-2347
BLAUFUSE M.D., ARNOLD	1197 E. HERNDON AV. #104	FRESNO, CA	93710	00)
BOVEE, IAVID	1645 BARSTON AV.	CLOVIS, CA	93612	298-4411

HIS FILE MS 21 BURES

#### SECOND ANNUAL

#### LINA TI MULTI USER GROUP CONFERENCE SATURDAY NAY 20, 1989

First mailing, December 29, 1989

The Lima Ohio User Group is organizing the 2nd annual MULTI USER GROUP CONFERENCE AND SWAP MEET on the Lima Camous of Ohio State University. The event is scheduled for SATURDAY MAY 20. We have space reserved from 9AM to 5PM in a large exhibit area (the campus cafeteria dising area) and an adjoining conference room. We can also obtain the use of two mearby classrooms if needed. Since the university is not charging the lima User Group any fee, we intend to rum this as a TOTALLY FREE EVENT. There will be NO ADMISSION CHARGE to individuals who attend, and NO EXHIBITION CHARGE to user **group**s and dealers who wish to set up display booths or **give** demonstrations in our conference room. We tentatively anticipate setup time from 8-9 AM saturday (if you need more time you can make arrangements with the Lima User Group). with general admission and concurrent seminars and demonstrations starting at 9 a.m. .

Even before this mailing we already have the following planning to be there:

A demonstration of the GENEVE.
JIM HORN of COMPUSERVE

MARRY TRAVER of GENIAL COMPUTERWARE
CHRIS BOBBITT of ASGARD SOFTWARE
A demonstration of MYARK'S HFDC
Steve Karasek's SUPER EXTENDED BASIC demonstrated by
Harold Hoyt

dealers participate. Groups can recruit members, sell and/or swap libraries, and promote/sell/give away software written by group members. Dealers are free to sell any TI computer related soft or hardware as well as general computer goodies such as printers, full and half height drives. disks. and printer paper. The Lima User group will provide 6 foot x 2.5 foot tables and chairs to exhibitors/groups who wish to set up booths. The Lima U.G. will also provide a P.E. box TI system and several large TV monitors for use in the conference room by those giving demonstrations. Each exhibitor/group is expected to provide (if needed) its own TI system, extension cords and plug boxs, and is respunsible for the security of this equipment.

Pre-registration of all exhibitors/groups is required. Remember, there is NO CHARGE. We need the following information.

- 1. Group or dealer name.
- 2. How many 6 foot tables and chairs does your group need?

- 3. Do you need electricity?
- A. Does anyone in your group want to give a demonstration in the conference room? We need the title of the demonstration, name of demonstrator, and length of presentation.
  - 5. Name, address, and contact person for your group.
- ¿. Even if your group is not yet ready to commit itself to be an exhibitor, do you want to be kept on our mailing list for further updates of this event.? We will be publishing lists of exhibitors/groups and demonstrations as these are confirmed. (If you regularly recieve our newsletter then you already are on our mailing list!)

Even if your group doesn't want to attend as a group we would like to encourage individuals to attend (NO ADMISSION CHARGE) and we would like your group's assistance in advertising this event in your newsletters. We expect to have lots of fun and fellowship.

If you attended last year's conference you know what a good time it was for all that attended. There were about 350 registered attendees.

The Lima Campus of 0.5.0. is just east of Lima on state route 309. Exit Interstate 75 at route 309 and go 2 miles east on 309. Turn left (North) at the sign onto Mumaugh Road. The campus enterance is 0.3 miles north of this intersection on the right. We will be meeting in the Student Activity Building and there is lots of free parking near the building. Information about motels, restaurants, and other things to do in Lima is available from the Lima User Group.

Feel free to phone me evenings if you need more information. Please send your registration and/or request for updated mailings about this event to:

LIMA AREA TI 99/4A USER GROUP c/o DAVE SZIPPL (president) 4 Poulston Place Lima Ohio 45005 (419)228-7109 6:30 to 10:30 pm.

\*\*DONE \*\*

#### FOR SALE AT EXCELLENT PRICES!

As part of an estate liquidation, the Lima User Group has for sale a basic disk system (expansion box, 32K, TI controller, SSSD drive) for \$200, a CorComp 256K ram disk for \$75, and selected software items. Offers will be considered. For details, or to make an offer, phone Bob Harshe at 419-228-2777

## DONE##